



A **GPK PRODUCTS** Company


www.Indiana-Seal.com
1601 43rd Street N • Fargo, North Dakota 58102
Toll Free: 1.800.437.4670 • Fax: 1.800.822.6989

Indiana Seal Coupling Chart

101 Clay to Clay

Part No.	Pipe Size	A	B	C
*101-44	4x4	5.30	5.30	4.00
*101-54	5x4	6.40	5.30	6.25
101-55	5x5	6.40	6.40	6.00
101-64	6x4	7.50	5.30	5.75
101-64EC	6x4	7.50	5.30	6.00
101-65	6x5	7.50	6.40	5.75
101-66	6x6	7.50	7.50	5.88
101-66W	6x6	7.80	7.80	6.00
*101-84	8x4	9.75	5.30	5.88
*101-85	8x5	9.75	6.40	5.63
101-86	8x6	9.75	7.50	5.75
101-88	8x8	9.75	9.75	5.88
101-88W	8x8	10.25	10.25	6.12
*101-104	10x4	11.95	5.30	6.50
*101-106	10x6	11.95	7.50	6.50
*101-108	10x8	11.95	9.75	6.63
101-1010	10x10	11.95	11.95	6.00
*101-128	12x8	14.50	9.75	6.25
101-1210	12x10	15.30	12.60	6.50
101-1212	12x12	14.50	14.50	6.38
101-1515	15x15	18.25	18.25	6.63
101-1818	18x18	21.50	21.50	8.63
101-2121	21x21	25.75	25.75	9.00
101-2424	24x24	29.00	29.00	9.00
101-2727	27x27	32.10	32.10	9.00
101-3030	30x30	36.00	36.00	9.00

*Supplied with reducer
W=Western Clay



*Supplied with reducer
W=Western Clay
EC=Eccentric
L=Larger OD
S=Smaller OD

- Couplings are sized to pipe types indicated but will connect any two pipes within $\pm 5\%$ OD range
- With maximum of 0.5" OD change in either direction
- All dimensions identified in inches
- Other sizes and material transitions available upon request

102 Clay (A) to Cast Iron or Plastic (B)

Part No.	Pipe Size	A	B	C
102-43	4x3	5.30	3.40	4.00
102-44	4x4	5.30	4.40	4.00
102-46	4x6	5.30	6.40	5.88
*102-48	4x8	5.30	8.55	5.88
*102-48EC	4x8	5.30	8.55	5.75
*102-53	5x3	6.40	3.40	6.00
*102-54	5x4	6.40	4.40	5.63
*102-55	5x5	6.40	5.50	4.75
*102-56	5x6	6.40	6.40	6.00
*102-63	6x3	7.50	3.40	5.80
102-64	6x4	7.50	4.40	5.50
102-64EC	6x4	7.50	4.40	6.09
102-65	6x5	7.50	5.50	5.75
102-66	6x6	7.50	6.40	5.75
102-66W	6x6	7.80	6.40	5.88
*102-66ECP	6x6	7.50	6.28	6.13
*102-68	6x8	7.50	8.55	6.00
*102-84	8x4	9.75	4.40	5.88
102-86	8x6	9.75	6.40	5.63
*102-86EC	8x6	9.75	6.40	6.13
102-88	8x8	9.75	8.55	5.75
102-88W	8x8	10.25	8.55	5.87
*102-810	8x10	10.60	9.75	5.88
*102-104	10x4	11.95	4.40	6.25
*102-106	10x6	11.95	6.40	6.50
102-108	10x8	11.95	8.55	6.25
102-1010	10x10	11.95	10.60	6.38
*102-128	12x8	14.50	8.55	6.25
102-1210	12x10	14.50	10.60	6.00
102-1212	12x12	14.50	12.60	6.30
*102-158	15x8	18.25	8.55	7.50
102-1512	15x12	18.25	12.60	6.50
102-1515	15x15	18.25	15.30	7.00
*102-1812	18x12	21.50	12.60	9.00
102-1815	18x15	21.50	15.30	9.00
102-1818	18x18	21.50	18.70	9.00
102-2121	21x21	25.25	22.05	8.38
102-2424	24x24	28.50	24.80	8.12
102-2727	27x27	32.50	28.00	8.50
102-3030	30x30	36.00	32.00	9.15

*Supplied with reducer
W=Western Clay
EC=Eccentric
ECP=Eccentric PSM

103 Clay (A) to Asbestos Cement or Ductile Iron (B)

Part No.	Pipe Size	A	B	C
103-44	4x4	5.30	4.75	3.75
*103-46	4x6	5.30	7.00	6.25
103-54	5x4	6.40	4.75	6.50
103-55	5x5	6.40	5.90	4.88
*103-56	5x6	6.40	7.00	6.00
103-64	6x4	7.50	4.75	5.56
103-65	6x5	7.50	5.90	5.88
103-66	6x6	7.50	7.00	5.88
*103-68	6x8	7.50	9.12	6.00
103-86	8x6	9.75	7.00	5.88
103-88	8x8	9.75	9.12	5.88
*103-108	10x8	11.95	9.12	6.38
103-1010	10x10	11.95	11.12	6.12
103-1212	12x12	14.50	13.20	6.18
103-1516	15x16	18.25	17.40	6.75
103-1818	18x18	21.50	19.50	9.00
103-2424	24x24	28.50	25.80	8.12

104 Concrete to Concrete

Part No.	Pipe Size	A	B	C
104-44	4x4	5.62	5.62	4.00
104-64	6x4	7.80	5.62	6.00
*104-64EC	6x4	7.80	5.62	6.00
104-66	6x6	7.80	7.80	6.00
104-86	8x6	10.25	7.80	6.00
104-88	8x8	10.25	10.25	6.12
104-108	10x8	12.60	10.60	6.25
104-1010	10x10	12.75	12.75	6.25
104-1210	12x10	15.55	12.60	6.50
104-1212	12x12	15.55	15.55	7.00
104-1212L	12x12	16.25	16.25	6.38
104-1515	15x15	19.50	19.50	9.00
104-1818	18x18	22.70	22.70	9.00
104-2121	21x21	26.50	26.50	9.00
104-2424	24x24	30.00	30.00	9.00
104-2727	27x27	34.50	34.50	9.00
104-3030	30x30	37.50	37.50	9.00

*Supplied with reducer
L=Larger OD

105 Concrete (A) to Clay (B)

Part No.	Pipe Size	A	B	C
105-44	4x4	5.62	5.30	4.00
105-64	6x4	7.80	5.30	6.00
105-66	6x6	7.80	7.50	6.00
105-86	8x6	10.25	7.80	6.00
105-88	8x8	10.25	9.75	6.00

106 Concrete (A) to Cast Iron or Plastic (B)

Part No.	Pipe Size	A	B	C
*106-43	4x3	5.62	3.40	4.30
106-44	4x4	5.62	4.40	4.00
*106-46	4x6	5.62	6.40	6.00
*106-63	6x3	7.80	3.40	6.18
106-64	6x4	7.80	4.40	5.88
*106-64EC	6x4	7.80	4.40	6.00
106-66	6x6	7.80	6.40	5.88
*106-68	6x8	7.80	8.55	5.75
*106-84	8x4	10.25	4.40	6.00
106-86	8x6	10.25	6.40	5.75
*106-86EC	8x6	10.25	6.40	6.12
106-88	8x8	10.25	8.55	5.87
106-108	10x8	12.75	8.55	6.87
106-1010	10x10	12.75	10.60	6.62
106-1210	12x10	15.55	10.60	6.75
106-1212	12x12	15.55	12.60	6.50
106-1212L	12x12	16.55	12.60	7.00
*106-1512	15x12	19.50	12.60	9.00
106-1515	15x15	19.50	15.30	9.00
106-1818	18x18	22.70	18.70	8.62
106-2121	21x21	26.50	22.05	8.38
106-2424	24x24	30.00	24.80	8.12

*Supplied with reducer
L=Larger OD

151

Asbestos Cement or Ductile Iron (A) to Cast Iron or Plastic (B)


Part No.	Pipe Size	A	B	C
*151-43	4x3	4.75	3.40	4.60
151-44	4x4	4.75	4.40	4.25
*151-46	4x6	4.75	6.40	6.00
151-48	4x8	4.75	8.55	6.00
*151-53	5x3	5.90	3.40	5.00
151-54	5x4	5.90	4.40	4.80
151-55	5x5	5.62	5.62	4.00
151-56	5x6	5.90	6.40	4.88
*151-63	6x3	7.00	3.40	6.00
151-64	6x4	7.00	4.40	5.70
*151-64EC	6x4	7.00	4.40	6.00
151-65	6x5	7.00	5.50	5.80
151-66	6x6	7.00	6.40	6.00
*151-68	6x8	7.00	8.55	6.70
*151-84	8x4	9.12	4.40	6.00
151-86	8x6	9.12	6.40	6.00
151-88	8x8	9.12	8.55	6.00
151-810	8x10	9.12	10.60	6.38
*151-812	8x12	9.12	12.60	6.25
*151-108	10x8	11.12	8.55	6.37
151-1010	10x10	11.12	10.60	6.12
151-1210	12x10	13.00	10.60	6.62
151-1212	12x12	13.20	12.60	6.25
151-1215	12x15	13.20	15.30	6.50
151-1615	16x15	17.40	15.30	7.00
151-1818	18x18	19.50	19.25	9.00
151-2021	20x21	22.05	22.05	9.00
151-2424	24x24	25.50	25.50	9.00

*Supplied with reducer
EC = Eccentric

155

Asbestos Cement or Ductile Iron to Asbestos Cement or Ductile Iron

Part No.	Pipe Size	A	B	C
155-44	4x4	4.75	4.75	4.20
155-55	5x5	5.90	5.62	4.00
155-64	6x4	7.00	4.75	6.00
155-66	6x6	7.00	7.00	6.00
155-86	8x6	9.12	7.00	5.80
155-88	8x8	9.12	9.12	6.00
155-1010	10x10	11.12	11.12	6.50
155-1212	12x12	13.20	13.20	6.30
155-1414	14x14	15.30	15.30	9.00
155-1616	16x16	17.40	17.40	9.00
155-1818	18x18	19.50	19.50	9.00
155-2020	20x20	21.60	21.60	9.00
155-2424	24x24	25.80	25.80	9.00



156

Cast Iron or Plastic to Cast Iron or Plastic

Part No.	Pipe Size	A	B	C
156-125	1½x1¼	1.66	1.66	3.50
156-15125	1½x1¼	1.90	1.66	3.50
156-15	1½x1½	1.90	1.90	3.50
156-215	2x1½	2.40	1.90	3.50
156-22	2x2	2.40	2.40	3.50
*156-31	3x1	3.40	1.31	4.00
*156-315	3x1½	3.40	1.90	4.18
156-32	3x2	3.40	2.40	4.00
156-33	3x3	3.40	3.40	4.25
*156-4125	4x1¼	4.40	1.66	4.00
*156-415	4x1½	4.40	1.90	4.18
156-42	4x2	4.40	2.40	4.00
156-42EC	4x2	4.40	2.40	4.00
156-43	4x3	4.40	3.40	4.00
156-43EC	4x3	4.40	3.45	4.00
156-44	4x4	4.50	4.50	4.25
156-44S	4x4	4.40	4.40	4.25
*156-53	5x3	5.50	3.40	4.30
156-54	5x4	5.50	4.40	4.00
156-55	5x5	5.62	5.62	4.00
*156-62	6x2	6.45	2.40	5.25
156-63	6x3	6.40	3.40	6.00
156-64	6x4	6.40	4.40	5.63
156-64L	6x4	6.45	4.50	5.63
156-64EC	6x4	6.45	4.50	6.00
156-65	6x5	6.40	5.50	4.75
156-66	6x6	6.40	6.40	6.00

*Supplied with reducer
S=Smaller OD
EC = Eccentric

156

Cast Iron or Plastic to Cast Iron or Plastic

Part No.	Pipe Size	A	B	C
*156-84	8x4	8.55	4.40	6.00
156-86	8x6	8.55	6.40	5.88
*156-86EC	8x6	8.55	6.40	6.00
156-88	8x8	8.55	8.55	5.75
*156-104	10x4	10.60	4.40	6.63
*156-106	10x6	10.60	6.40	6.63
156-108	10x8	10.60	8.55	6.38
*156-108EC	10x8	10.60	8.55	5.88
156-1010	10x10	10.60	10.60	5.88
*156-126	12x6	12.60	6.40	6.25
*156-128	12x8	12.60	8.55	6.50
156-1210	12x10	12.60	10.60	6.25
156-1212	12x12	12.60	12.60	6.38
156-1414	14x14	14.00	14.00	6.25
156-1510	15x10	15.30	10.60	6.75
156-1512	15x12	15.30	12.60	6.50
156-1515	15x15	15.30	15.30	6.75
156-1616	16x16	16.00	16.00	6.31
156-1815	18x15	18.10	15.02	7.00
156-1818	18x18	18.70	18.70	8.00
156-2121	21x21	22.05	22.05	9.00
156-2421	24x21	25.25	22.05	8.38
156-2424	24x24	24.80	24.80	9.00
156-2724	27x24	28.50	24.80	8.12
156-2727	27x27	27.95	27.95	9.00
156-3027	30x27	32.50	28.00	8.50
156-3030	30x30	32.00	32.00	9.00

*Supplied with reducer
S=Smaller OD
EC = Eccentric



156 Series adapts to these outside pipe diameters:

Material	1¼"	1½"	2"	3"	4"
CAST IRON					
Extra Heavy	--	--	2.38	3.50	4.50
Service Weight	--	--	2.30	3.38	4.30
No Hub	--	1.90	2.31	3.31	4.38
ABS/PVC					
DWV Sch. 40	1.660	1.900	2.375	3.500	4.500
PLASTIC					
Sewer & Drain	--	--	--	3.250	4.215
COPPER	1.375	1.625	2.125	3.125	4.125
STEEL	1.660	1.900	2.375	3.500	4.500
LEAD	1.528	1.830	2.354	3.250	4.250

156 Series fits all of these drain pipe materials:

- Cast Iron Soil Pipe**
- Extra Heavy (XH)
 - Service Weight (SW)
 - No Hub (NH)
- Steel Pipe, Schedule 40, Copper Pipe, Lead Pipe, Plastic Pipe**
- ABS/PVC, DWV (Schedule 40)
 - ABS/PVC, Schedule 30 (Thin Wall)
 - ABS/PVC, Styrene, sewer and drain ASTM D2729
 - PVC Sewer and drain ASTM D3034 and SDR35



A **GPK PRODUCTS** Company



Coupling Chart